

# City of Torrington



ENGINEERING DEPARTMENT  
(860) 489-2234

140 Main Street • City Hall  
Torrington, CT 06790-5245  
Fax: (860) 489-2550

## ADDENDUM No. 3

**DATE ISSUED: February 14, 2019**

**RE: FUESSENICH PARK EXTENSION (OAK AVENUE) DRAINAGE PROJECT PHASE 2**

**BID # FPD-027-022019**

All bidders are hereby advised of the following amendments to the Contract Bid Documents, which are hereby made an integral part of the specifications for the subject project, prepared by The City of Torrington, to the same extent as all other documents. All work shall conform to the standards and provisions of same.

Bids submitted shall be deemed to include the Contract Document information as shown in Addendum No. 3. General bidders shall notify sub-bidders that may be affected by this addendum as applicable. Bidders shall be required to acknowledge receipt of this Addendum in the space provided on the Bid Proposal Form, Page BP-1. Failure to acknowledge this Addendum by the Bidder may result in the rejection of their bid. Bidders are directed to review changes to all portions of the work as changes to one portion may affect the work of another.

- 1. With reference to the build configuration of the Proposed Manhole, given the shallow depth of bury, the following changes may be made to accommodate standard pre-cast fabrication.**
  - a. A steel plate of appropriate thickness may be used to cover the top slab access opening as an alternate to the standard casting frame and cover.**
  - b. The required depth of topsoil and sod may be less than 6" if necessary to match into existing grade provided grass growth is sustainable.**
  - c. The existing grade surrounding the manhole may be raised in elevation provided the transition into the surrounding area is smooth, even and does not create drainage issues and is acceptable for ball field play.**

END OF ADDENDUM No. 3