City of Torrington

ENGINEERING DEPARTMENT (860) 489-2234



140 Main Street • City Hall Torrington, CT 06790-5245 Fax: (860) 489-2550

ADDENDUM No. 1

DATE ISSUED: February 11, 2019

RE: FUESSENICH PARK EXTENSION (OAK AVENUE) DRAINAGE PROJECT PHASE 2


BID # FPD-027-022019

All bidders are hereby advised of the following amendments to the Contract Bid Documents, which are hereby made an integral part of the specifications for the subject project, prepared by The City of Torrington, to the same extent as all other documents. All work shall conform to the standards and provisions of same.

Bids submitted shall be deemed to include the Contract Document information as shown in Addendum No. 1. General bidders shall notify sub-bidders that may be affected by this addendum as applicable. Bidders shall be required to acknowledge receipt of this Addendum in the space provided on the Bid Proposal Form, Page BP-1. Failure to acknowledge this Addendum by the Bidder may result in the rejection of their bid. Bidders are directed to review changes to all portions of the work as changes to one portion may affect the work of another.

1. Replace Detail 1 "STORM DRAINAGE TRENCH DETAIL FOR HDPE PIPE IN NON-PAVED AREAS" of the design plan Sheet C-001 with attached revised Detail 1 "STORM DRAINAGE TRENCH DETAIL FOR HDPE PIPE IN NON-PAVED AREAS" noted as "REVISED 2-11-2019".

END OF ADDENDUM No. 1



NOTES: 1. PIPE BEDDING SHALL CONFORM TO GRADING 'C' AS PER CTDOT FORM 817 M.02.06 OR No. 6 CRUSHED STONE (CTDOT FORM 817, M.01.01) FOR WET CONDITIONS.

- 2. UNSUITABLE MATERIAL BELOW NORMAL GRADE SHALL BE REPLACED WITH No. 6 CRUSHED STONE (CTDOT FORM 817, M.01.01) AS DIRECTED BY THE CITY ENGINEER.
- 3. ALL WORK MUST BE CONDUCTED IN STRICT ACCORDANCE WITH THE LATEST REGULATIONS OF OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)FOR **EXCAVATIONS.**
- 4. PIPE INSTALLATION SHALL CONFORM TO CTDOT FORM 817 SECTION 6.51.03 FOR TYPE II INSTALLATION.

